


## ESKV-SET 20

Cable gland with locknut, polyamide, M20, RAL 7035



Product illustrations are exemplary and may differ from the chosen product. Further variants and individual customization, we will gladly provide you on request.



|                                 |                                |
|---------------------------------|--------------------------------|
| <b>Material cable gland</b>     | Polyamide                      |
| <b>Material sealing gasket</b>  | EPDM                           |
| <b>Temp. range min</b>          | -40 °C                         |
| <b>Temp. range max</b>          | 100 °C                         |
| <b>Protection class</b>         | IP69, IP68 (5 bar 30 min)      |
| <b>Thread type</b>              | M                              |
| <b>Ø Connection thread D</b>    | 20                             |
| <b>Lead</b>                     | 1,5                            |
| <b>Length screw-in thread L</b> | 10 mm                          |
| <b>Ø cable diameter min</b>     | 6 mm                           |
| <b>Ø cable diameter max</b>     | 13 mm                          |
| <b>Key width SW</b>             | 24 mm                          |
| <b>Collar diameter (E)</b>      | 27 mm                          |
| <b>Total length TL</b>          | 36 mm - 45 mm                  |
| <b>Glow wire test</b>           | 750 °C                         |
| <b>Type of cable anchorage</b>  | A                              |
| <b>Install. torques fitting</b> | 4 N m                          |
| <b>Install. torques cap nut</b> | 3 N m                          |
| <b>Impact category</b>          | 3                              |
| <b>Equipment</b>                | Incl. connection thread gasket |
| <b>Product Color</b>            | RAL 7035                       |
| <b>Order no. RAL 7035</b>       | 10066526                       |
| <b>Type</b>                     | ESKV-SET 20                    |
| <b>Packing unit</b>             | 50                             |
| <b>ETIM-Classification</b>      | EC000441                       |

Your Contact:

WISKA Systems Ibérica, S. L.

Mr. Javier Cebrián · C/ Roquetes Nave 117 – Pol. Ind. Can Magre · 08187 Sta. Eulalia de Ronçana · Barcelona, España

☎ +34 (93) 844 65 73 · 📠 +34 (93) 844 86 77

contact@wiska.es · www.wiska.es

## Recommended accessories

|                      |          |
|----------------------|----------|
| <b>MFD 20/02/065</b> | 10060953 |
| <b>RDE 20</b>        | 10062185 |
| <b>BS 13</b>         | 10064010 |
| <b>MFD 20/03/040</b> | 10064341 |
| <b>MFD 20/02/060</b> | 10064395 |
| <b>MFD 20/02/050</b> | 10101015 |
| <b>MFD 20/03/045</b> | 10102306 |

18.11.2018

## Your Contact:

**WISKA Systems Ibérica, S. L.**

Mr. Javier Cebrián · C/ Roquetes Nave 117 – Pol. Ind. Can Magre · 08187 Sta. Eulalia de Ronçana · Barcelona, España

☎ +34 (93) 844 65 73 · 📠 +34 (93) 844 86 77

contact@wiska.es · www.wiska.es



Your Contact:

**WISKA Systems Ibérica, S. L.**

Mr. Javier Cebrián · C/ Roquetes Nave 117 – Pol. Ind. Can Magre · 08187 Sta. Eulalia de Ronçana · Barcelona, España

☎ +34 (93) 844 65 73 · 📠 +34 (93) 844 86 77

contact@wiska.es · www.wiska.es